EXISTENCE OF PERIODIC ORBITS IN THE RESTRICTED PROBLEM WHEN PRIMARIES ARE TRIAXIAL RIGID BODIES AND SOURCE OF RADIATION PRESSURE

Author

Awadesh Kumar Poddar

Supervisor

Prof. Z A Taqvi,

Department of Mathematics Jamia Millia Islamia

Co-Supervisor

Dr. K B Bhatnagar

Ashok Vihar, New Delhi

The following problems have been studied in the thesis:

- 1. Existence of periodic orbits in the restricted problem of three bodies when the smaller primary is a triaxial rigid body.
- 2. Existence of periodic orbits in the restricted problem of three bodies when the more massive body is a source of radiation and the smaller primary is a triaxial rigid body.
- 3. Existence of periodic orbits (first kind) in the restricted problem of three bodies when the smaller primary is a triaxial rigid body and the bigger primary an oblate spheroid. In all the above problems, we have shown the existence of periodic orbits when the mass parameter m=0 and through analytic continuation, we have shown the existence of Periodic orbits for m^{-1} 0. In the first problem, it is observed that as the values of the parameters s1 s2 of the triaxial rigid body increase, the periodic orbits go on shrinking.
- 4. In the second problem we have again shown the existence of periodic orbits when m⁻¹ 0 follow1 ng the method used by Choudhry (1966). In this paper we have drawn six orbits by taking different values of solar radiation parameter
 - P (P = 0,0.01, 0.009,0.008,0.007,0.006). Keeping the parameters s1 = 0.01, s2 = 0.09 of the rigid body fixed.It is observed that as' the values of the solar radiation parameter P decrease the periodic orbits shrink, though very little.In the third problem we have shown the existence of periodic orbits of first kind for m 1 0. First, we have determined the equations of motion in Delaunay's variales. This is done through the following three canonical transformations:
- (i) The origin is shifted to the centre of the more massive primary.
- (ii) After shifting the origin, the equations of motion are transformed to the polar

form.

(iii) And finally we have transformed the equations of motion in the Delaunay's variables.

In the end the existence of periodic orbits for \sim * 0 is shown by applying the implicit function theorem.

The entire work of this thesis has been sent for publication in the form of three research papers in an Indian Journal. .

- (1) Existence of periodic orbits in the 'Restricted problem' when the smaller primary is a triaxial rigid body. Accepted for publication in the "Indian Journal of Pure and Applied Mathematics". (2001).
- (2) Existence of periodic orbits in the 'Restricted Problem' of three bodies when the more massive body is asource of radiation and the smaller primary is a trixial rigid body. Accepted for publication in the "Indian Journal of Pure and Applied Mathematics (2002).
- (3) Existence of periodic orbits (first kind) in the 'Restricted Problem' of three bodies when the smaller primary is a triaxial rigid body and the bigger primary an oblate spheroid. Submitted for publication in the "Indian Journal of Pure and Applied Mathematics" (2001).